21 February 1991

CENPP-EN-HR

OLD MOUTH OF COWLITZ RIVER SEDIMENT EVALUATION

Abstract

Based on current and previous studies and according to CENPP Tiered Testing Guidelines, sediment from the Federal project at the old mouth of the Cowlitz River is acceptable for unconfined in-water disposal.

Introduction

- 1. The old mouth of the Cowlitz River is located at approximatelely Columbia River mile 67.7, on the Washington side of the river, just upstream from the town of Longview. The existing project provides for a channel 8 feet deep and 100 feet wide from deep water in the Columbia River to old river mile 0.7. Sediment from the Cowlitz River, Carrols channel and the main channel of the Columbia River undoubtedly contributes to shoaling of the old mouth of the Cowlitz. Usually sediment is dredged from the old mouth channel by agitation. The sediment is then washed downstream by river current.
- 2. Past studies of the sediment in the channel of the old mouth of the Cowlitz show that it changes from medium sand at the mouth to medium silt at the end of the channel at RM 0.7. Volatile solids, a measure of organic content, follows a similar pattern progressing from 0.3 percent to 2.2 percent. Nearby sediments, in the main channel of the Columbia River, are medium to coarse sands and volatile solids are always less than 1.0 percent. Sediments from the old mouth of the Cowlitz have traditionally been disposed in-water via agitation dredging whereby the prop of the dredge agitates sediment from the bottom and the sediment is then washed downstream by the river current.
- 3. Some of the sediment samples collected were subjected to chemical analysis because project sediments are near industrial and port activities and, according to our database records, no prior chemical data existed for sediments at this location.

<u>Methods</u>

4. Sediment samples were collected on 15 January 1991 from shoal areas in the project channel in the old mouth of the Cowlitz River (see map). Five samples were taken by vibra-core. Samples Cow-1, and 3 were taken from shoal at the mouth of the old Cowlitz but slightly downstream from the project. Samples were taken at those two locations because this is an area where some of the agitated sediments from the project will settle and it is likely that this area also will be agitated to make way for project sediments as they move downstream in the water current. Samples Cow-2, 2A and 4 were taken from shoals in the project channel at RM 0.0 and 0.3. Cores were of adequate length to sample the dredging prism. Each core was sub-sampled along its entire length for both physical and chemical tests. Physical testing included measures of grain size distribution and percent volatile solids. Chemical tests were run on four samples. The chemical samples were handled according to standard EPA/USACE methods. Chemical samples were stored in acid rinsed, glass jars topped with teflon lined lids. They were cold stored in an ice chest and delivered immediately to Columbia Analytical Services in Kelso, Washington. Metals, polyaromatic hydrocarbons (PAH's), pesticides, PCB's, and phenols were measured.

Results/discussion

5. Results of physical and chemical tests are presented in Tables 1 and 2. Raw data are appended to this report. The mean median grain size for all the samples was 0.140 mm which is in the range of fine sand. One sample, Cow-4 with the largest median grain size, also showed the widest range of grain sizes from pebbles to silt. There appeared to be pumice pebbles in this sample. In fact, most of the samples contained what appeared to be Mt. St. Helens material. Fines ranged from 8.1 to 21.2 percent (mean = 14.3%). The mean volatile solids content was 0.8 percent. These physical parameters

are well below U.S. Army Corps of Engineers, Portland District (CENPP), levels of concern.

- 6. Results of chemical tests are presented in Table 2. Levels of metals were below CENPP concern levels. PAHs, PCBs, pesticides and phenols were undetected. Detection limits for metals and organics were well below CENPP concern levels.
- 7. Based on CENPP Tiered Testing Guidelines and requirements of section 404 of the Clean Water Act, the results from physical and chemical measures indicate that the sediments from the old mouth of the Cowlitz are acceptable for in-water disposal.

Table 1

Results of Sample	physical analysis median grain size (mm)	of sediments from % fines	old mouth % clay	of Cowlitz. % volatile solids
Dampie	erse (mm)			901108
COW-1	0.130	8.1	1.5	0.7
COW-2	0.100	21.2	2.5	1.3
COW-2A	0.097	19.5	1.3	0.8
COW-3 TOP	0.130	7.5	1.2	0.6
COW-3 BOT.	0.130	10.3	1.0	0.7
COW-4	0.250	19.2	1.4	0.7
MEAN	0.140	14.3	1.5	0.8

Table 2
Results of chemical analysis of sediments from old mouth of Cowlitz River

			Me	tals						
Sample	As	Cđ	Cr	Cu	Pb	Hg	Ni	Ag	Zn	Organics*
					(ppm)					(ppb)
COW-2A COW-3 TOP COW-3 BOT. COW-4>2	1 1 1 ND	ND ND ND 8	5 6 6 5	14 14 18 2	ND ND ND ND	ND ND ND 7	5 5 4 ND	ND ND ND 28	18 20 20 ND	ND ND ND move to
DL (detection limits	1	0.1	1	1	1	0.02	1	0.1	1	* Column

^{*} Oganics include PAHs, PCBs, pesticides and phenols.


 detection limits

 Pesticides
 1-30 ppb

 Phenols
 20-50

 PAHs
 20-40

 PCBs
 10



a a second

DEPARTMENT OF THE ARMY

NORTH PACIFIC DIVISION MATERIALS LABORATORY CORPS OF ENGINEERS 1491 N.W. GRAHAM AVENUE TROUTDALE, OREGON 97060-9503

CENPD-PE-GT-L (1110-1-8100c)

5 Feb 91

MEMORANDUM FOR Commander, Portland District, ATTN: CENPP-PE-HR

SUBJECT: W.O. #91-SM-342, Report of Tests on Sediment Samples

Project: MOUTH OF THE COWLITZ RIVER

Intended Use: Dredging projects

Source of Material: Cowlitz River mouth - old channel

Submitted by: CENPP-PE-HR (Britton)

Date Sampled: 15 Dec 90 Date Received: 16 Jan 91

Method of Test or Specification: ASTM, EM1110-2-1906

Reference: a) DD Form 448, MIPR No. E86-91-0056, dated 25 Jan 91

b) NPD Form 303, Sample Transmittal, dated 16 Jan 91, covering the samples tested.

c) Advance report (FAX), dated 18 Jan 91

- 1. Enclosed, confirming FAX report, are six Gradation Analysis summary sheets with hydrometer and volatile solids results for each sample.
- 2. Chemical analysis of these samples are underway; results will be reported as available.

Enclosures

Copy Furnished: CENPD-PE-GT

JAMES A. PAXTON Director

* * * Corps of Engineers - North Pacific Division Materials Laboratory * * * MOUTH OF THE COWLITZ RIVER (91-SM-342)

Boring: -- Sample: COW-1 Depth: -- Lab No.: 34201

· Sieve	eve Analysi Cumulative Grams Retained		Sample Time	Weigh Temp (C)	Hydrometer A at:113. gr. Hydrometer Reading		Time:0000 Percent Finer
5 In. 2.5 In. 1.25 In. 5/8 In. 5/16 In. No. 5 No. 10 Pan No. 18 No. 35 No. 60 No. 120 No. 230 Pan	0.00 0.00 0.00 0.00 0.00 0.00 113.00 0.10 3.10 62.80 103.90 113.00	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 99.9 97.3 44.4 8.1	1 3 10 100 200	20.0 20.0 20.0 20.0 20.0	7.4 4.9 3.4 1.9 1.2	0.0520 0.0305 0.0168 0.0069 0.0049	6.9 4.7 3.4 2.1 1.5

D85: 0.21 D60: 0.15 D50: 0.13 D30: 0.10 D15: .076 D10: .067 mm

Cu: 2.24 Cc: 1.03


Gravel: 0.0%

Sand: 85.8%

Fines: 14.2%

----- Comments ------SAMPLED FROM MOUTH OF THE OLD CHANNEL

- SAMPLED ON 15 DEC 90
- VOLATILE SOLIDS 0.7%



* * * Corps of Engineers - North Pacific Division Materials Laboratory * * * $MOUTH\ OF\ THE\ COWLITZ\ RIVER\ (91-SM-342)$

Boring: -- Sample: COW-2 Depth: -- Lab No.: 34202

· Sieve Analysis					Hydrometer A	nalysis	
	Cumulative		Sample	Weigh	t:105.7 gr.	Start	Time:0000
Sieve	Grams Retained	Percent Passing	Time	Temp (C)	Hydrometer Reading	Diameter in mm	Percent Finer
5 In. 2.5 In. 1.25 In. 5/8 In. 5/16 In. No. 5 No. 10 Pan No. 35 No. 35 No. 60 No. 120 No. 230	0.00 0.00 0.00 0.00 0.00 0.00 105.70 0.00 0.20 2.50 39.00 83.30	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 99.8 97.6 63.1 21.2	1 3 10 100 200	20.0 20.0 20.0 20.0 20.0	17.9 10.9 6.9 2.9 2.2	0.0490 0.0295 0.0165 0.0069 0.0049	17.2 10.7 6.9 3.2 2.5
Pan	105.70	0.0	/	• •			


D85: 0.18 D60: 0.12 D50: 0.10 D30: .075 D15: .042 D10: .027 mm

Cu: 4.42 Cc: 1.73

Gravel: 0.0% Sand: 69.9% Fines: 30.1%

----- Comments

- SAMPLED FROM MOUTH OF THE OLD CHANNEL
- SAMPLED ON 15 DEC 90 - VOLATILE SOLIDS - 1.3%



* * * Corps of Engineers - North Pacific Division Materials Laboratory * * * MOUTH OF THE COWLITZ RIVER (91-SM-342)

Boring: -- Sample: COW-2A Depth: -- Lab No.: 34203

Si	leve Analysi Cumulative		Sample	Weigh	Hydrometer A t:90.7 gr.	Start	Time: 0000
Sieve	Grams Retained	Percent Passing	Time	Temp (C)	Hydrometer Reading	Diameter in mm	Percent Finer
5 In. 2.5 In. 1.25 In. 5/8 In. 5/16 In. No. 5 No. 10 Pan No. 18 No. 35 No. 60 No. 120	0.00 0.00 0.00 0.00 0.00 0.00 90.70 0.00 0.20 6.40 26.50	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 99.8 92.9 70.8	1 3 10 100 200	20.0 20.0 20.0 20.0 20.0	12.9 7.9 4.4 0.9 0.7	0.0505 0.0300 0.0167 0.0070 0.0049	14.6 9.2 5.3 1.5 1.3
No. 230 Pan	73.00 90.70	19.5 0.0			•		


D85: 0.18 D60: 0.11 D50: .097 D30: .074 D15: .052 D10: .034 mm

Cu: 3.24 Cc: 1.46

Gravel: 0.0% Sand: 68.6% Fines: 31.4%

Comments

- SAMPLED FROM THE MOUTH OF THE OLD CHANNEL
- SAMPLED ON 15 DEC 90
- VOLATILE SOLIDS 0.8%



* * * Corps of Engineers - North Pacific Division Materials Laboratory * * * MOUTH OF THE COWLITZ RIVER (91-SM-342)

Boring: -- Sample: COW-3 TOP Depth: -- Lab No.: 34204

Si	leve Analysi Cumulative		Sample	Weigh	Hydrometer A t:103.3 gr.	nalysis Start	Time:0000
Sieve	Grams Retained	Percent Passing	Time	Temp (C)	Hydrometer Reading	Diameter in mm	Percent Finer
5 In. 2.5 In. 1.25 In. 5/8 In. 5/16 In. No. 5 No. 10 Pan No. 18 No. 35 No. 60 No. 120 No. 230 Pan	0.00 0.00 0.00 0.00 0.00 0.00 103.30 0.00 0.20 2.70 57.80 95.60 103.30	100.0 100.0 100.0 100.0 100.0 100.0 100.0 0.0	1 3 10 100 200	20.0 20.0 20.0 20.0 20.0	5.9 3.9 3.2 0.9 0.7	0.0525 0.0306 0.0168 0.0070 0.0049	6.1 4.2 3.5 1.3 1.2

D85: 0.21 D60: 0.15 D50: 0.13 D30: 0.10 D15: .077 D10: .068 mm

Cu: 2.21 Cc: 1.02


Gravel: 0.0% Sand: 86.3% Fines: 13.7%

----- Comments -----

- SAMPLED FROM MOUTH OF THE OLD CHANNEL

- SAMPLED ON 15 DEC 90

- VOLATILE SOLIDS - 0.6%



* * * Corps of Engineers - North Pacific Division Materials Laboratory * * * MOUTH OF THE COWLITZ RIVER (91-SM-342)

Boring: -- Sample: COW-3 BOT. Depth: -- Lab No.: 34205

Sieve	eve Analysi Cumulative Grams Retained	Percent Passing	Sample Time		Hydrometer A t:115. gr. Hydrometer Reading	Start	Time:0000 Percent Finer
5 In. 2.5 In. 1.25 In. 5/8 In. 5/16 In. No. 5 No. 10 Pan No. 35 No. 35 No. 60 No. 120 No. 230 Pan	0.00 0.00 0.00 0.00 0.00 0.00 115.00 0.20 3.40 62.30 103.10 115.00	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 99.8 97.0 45.8 10.3	1 3 10 100 200	20.0 20.0 20.0 20.0	8.4 4.9 3.4 0.9 0.7	0.0518 0.0305 0.0168 0.0070 0.0049	7.7 4.6 3.4 1.2 1.0


D85: 0.21 D60: 0.15 D50: 0.13 D30: .098 D15: .072 D10: .062 mm

Cu: 2.39 Cc: 1.05

Gravel: 0.0% Sand: 83.3% Fines: 16.7%

------ Comments

- SAMPLED FROM MOUTH OF THE OLD CHANNEL
- SAMPLED ON 15 DEC 90
- VOLATILE SOLIDS 0.7%



* * * Corps of Engineers - North Pacific Division Materials Laboratory * * * MOUTH OF THE COWLITZ RIVER (91-SM-342)

Boring: -- Sample: COW-4 Depth: -- Lab No.: 34206

· Sie	eve Analysi	s	C1-		Hydrometer A		
Sieve	Cumulative Grams Retained	Percent Passing	Time	Temp (C)	t:84.4 gr. Hydrometer Reading	Diameter in mm	Time:0000 Percent Finer
5 In. 2.5 In. 1.25 In. 5/8 In. 5/16 In. No. 5 No. 10 Pan No. 18 No. 35 No. 60 No. 120 No. 230 Pan	0.00 0.00 3.80 13.60 38.90 84.50 2097.60 4.00 19.00 40.50 54.10 67.50 84.40	100.0 100.0 100.0 99.8 99.4 98.1 96.0 0.0 91.4 74.4 49.9 34.5 19.2	1 3 10 100 200	20.0 20.0 20.0 20.0 20.0	13.9 9.9 5.9 1.4 0.7	0.0502 0.0296 0.0166 0.0069 0.0049	16.2 11.7 7.2 2.1 1.4

D85: 0.73 D60: 0.33 D50: 0.25 D30: 0.10 D15: .044 D10: .024 mm

Cu: 13.9 Cc: 1.36


Gravel: 1.5% Sand: 75.9% Fines: 22.7%

----- Comments -----

- SAMPLED FROM MOUTH OF THE OLD CHANNEL

- SAMPLED ON 15 DEC 90

- VOLATILE SOLIDS = 0.7%



Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton

Sample Matrix: Sediment

Mouth of Cowlitz

Date Received: 01/15/91 Work Order #:

K910238

Total Metals mg/Kg (ppm) Dry Weight Basis

	Sample Name: Lab Code:		COW-2A K0238-3	COW-3 TOP K0238-4	COW-3 BOTTOM K0238-5
Analytes	Method	MRL			· Ameri
Arsenic	7060	1	1	1	1
Cadmium	7131	0.1	ND	ND	ND
Chromium	6010	1	5	6	6
Copper	6010	1	14	14	18
Lead	7421	1	ND	ND	ND
Mercury	7471	0.02	ND	ND	ND
Nickel	249.2	1	5	5	4
Silver	7761	0.1	ND	ND	ND
Zinc	6010	1	18	20	20
Solids, Total (%)	160.3		78.6	77.0	74.2

MRL Method Reporting Limit

ND None Detected at or above the method reporting limit

Approved by Dave Elelman

Date 2/19/91

Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton

Mouth of Cowlitz

Date Received: 01/15/91 Work Order #: K910238

Sample Matrix: Sediment

Total Metals mg/Kg (ppm) Dry Weight Basis

	Sample Name: Lab Code:		COW-2A K0238-3	COW-3 TOP K0238-4	COW-3 BOTTOM K0238-5
Analytes	Method	MRL			gw [*]
Arsenic	7060	1	1	1	1
Cadmium	7131	0.1	ND	ND	ND
Chromium	6010	1	5	6	6
Copper	6010	1	14	14	18
Lead	7421	1	ND	ND	ND
Mercury	7471	0.02	ND	ND	ND
Nickel	249.2	1	5	5	4
Silver	7761	0.1	ND	ND	ND
Zinc	6010	1	18	20	20
Solids, Total (%)	160.3	••	78.6	77.0	74.2

MRL Method Reporting Limit

None Detected at or above the method reporting limit ND

Approved by Dave Elelman. Date 2/19/91

Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton **Mouth of Cowlitz**

Sample Matrix: Sediment

Date Received: 01/15/91

Work Order #: K910238

Total Metals mg/Kg (ppm) Dry Weight Basis

	Sample Name: Lab Code:	COW-4 K0238- 6	Method Blank K0238-MB	
Analytes	Method	MRL		, 'pag'
Arsenic	7060	1	2	ND
Cadmium	7131	0.1	ND -	ND
Chromium	6010	1	(8)	ND
Copper	6010	1	5	ND
Lead	7421	1	2	ND
Mercury	7471	0.02	ND	ND
Nickel	249.2	1	7	ND
Silver	7761	0.1	ND	ND
Zinc	6010	1	28	ND
Solids, Total (%)	160.3		79.0	ND

MRL Method Reporting Limit

ND None Detected at or above the method reporting limit

Approved by Dave Elelman Date

Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton Mouth of Cowlitz

Date Received: 01/15/91 Work Order #:

K910238

Sample Matrix: Sediment

Total Metals mg/Kg (ppm) Dry Weight Basis

	Sample Name: Lab Code:	COW-4 K0238-6	Method Blank K0238-MB	
Analytes	Method	MRL	,	-ph
Arsenic	7060	1	2	ND
Cadmium	7131	0.1	ND	ND
Chromium	6010	1	8	ND
Copper	6010	1	5	ND
Lead	7421	ĺ	2	ND
Mercury	7471	0.02	ND	ND
Nickel	249.2	1	7	ND
Silver	7761	0.1	ND	ND
Zinc	6010	1	28	ND
Solids, Total (%)	160.3		79.0	ND

MRL Method Reporting Limit

ND None Detected at or above the method reporting limit

Approved by Dave Elelman Date

Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton

Sample Matrix: Sediment

Mouth of Cowlitz

Date Received: 01/15/91 Date Extracted: 01/24/91

Date Analyzed:

01/31/91

Work Order #:

K910238

Polynuclear Aromatic Hydrocarbons and Phenois EPA Methods 3540/Modified 8270 mg/Kg (ppm) Dry Weight Basis

Sample Name: Lab Code:		COW-2A K0238-3	COW-3 TOP K0238-4	COW-3 BOTTOM K0238-5
Analytes	MRL			
Naphthalene	0.02	ND	ND	ND
2-Methylnaphthalene	0.02	ND	ND	~ ND
Acenaphthylene	0.02	ND	ND	ND
Dibenzofuran	0.02	ND	ND	ND
Nacenaphthene	0.02	ND	ND	ND
Fluorene	0.02	ND	ND	ND
Phenanthrene	0.02	ND	ND	ND
Anthracene	0.02	ND	ND	ND
Fluoranthene	0.02	ND	ND	ND
Pyrene	0.02	ND	ND	ND
Benzo(a)anthracene	0.02	ND	ND	ND
Chrysene	0.02	ND	ND	ND
Benzo(b+k)fluoranthene	0.04	ND	ND	ND
Benzo(a)pyrene	0.02	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.02	ND	ND	ND
Dibenzo(a,h)anthracene	0.02	ND	ND	ND
Benzo(g,h,i)perylene	0.02	ND	ND	ND
Phenol	0.02	ND	ND	ND
2-Methylphenol	0.02	ND	ND	ND
4-Methylphenol	0.02	ND	ND	ND
2,4-Dimethylphenol	0.02	ND	ND	ND
Pentachlorophenol	0.05	ND	ND	ND

MRL Method Reporting Limit

None Detected at or above the method reporting limit ND

Approved by Dave Stelman Date 2/19/91

Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton

Sample Matrix: Sediment

Mouth of Cowlitz

Date Received: 01/15/91 Date Extracted: 01/24/91

Date Analyzed: 01/31/91

Work Order #:

K910238

Polynuclear Aromatic Hydrocarbons and Phenois EPA Methods 3540/Modified 8270 mg/Kg (ppm) Dry Weight Basis

Sample Name: Lab Code:		COW-2A K0238-3	COW-3 TOP K0238-4	COW-3 BOTTOM K0238-5
Analytes	MRL			
Naphthalene	0.02	ND	ND	ND ND
2-Methylnaphthalene Acenaphthylene	0.02 0.02	ND ND	ND ND	ND ND
Dibenzofuran	0.02	ND	ND	ND
Nacenaphthene	0.02	ND	ND	ND
Fluorene	0.02	ND	ND	ND
Phenanthrene	0.02	ND	ND	ND
Anthracene	0.02	ND	ND	ND
Fluoranthene	0.02	ND	ND	ND
Pyrene	0.02	ND	ND	ND
Benzo(a)anthracene	0.02	ND	ND	ND
Chrysene	0.02	ND	ND	ND
Benzo(b+k)fluoranthene	0.04	ND	ND	ND
Benzo(a)pyrene	0.02	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.02	ND	ND	ND
Dibenzo(a,h)anthracene	0.02	ND	ND	ND
Benzo(g,h,i)perylene	0.02	ND	ND	ND
Phenol	0.02	ND	ND	ND
2-Methylphenol	0.02	ND	ND	ND
4-Methylphenol	0.02	ND	ND	ND
2,4-Dimethylphenol	0.02	ND	ND	ND
Pentachlorophenol	0.05	ND	ND	ND

MRL

Method Reporting Limit

ND

None Detected at or above the method reporting limit

Approved by Dave Steln

Date 2/19/91

Analytical Report

Client:

U.S. Army Corps of Engineers

Submitted By: Mr. Jim Paxton Project:

Mouth of Cowlitz

Sample Matrix: Sediment

Date Received: 01/15/91

Date Extracted: 01/24/91 Date Analyzed:

01/31/91

Work Order #:

K910238

Polynuclear Aromatic Hydrocarbons and Phenols EPA Methods 3540/Modified 8270 mg/Kg (ppm) Dry Weight Basis

Sample Name: Lab Code:		COW-4 K0238-6	Method Blank K0238-MB	
Analytes	MRL			
Naphthalene	0.02	ND	ND	
2-Methylnaphthalene	0.02	ND	→ ND	
Acenaphthylene	0.02	ND	ND	
Dibenzofuran	0.02	ND	ND	
Nacenaphthene	0.02	ND	ND	
Fluorene	0.02	ND	ND	
Phenanthrene	0.02	ND	ND	
Anthracene	0.02	ND	ND	
Fluoranthene	0.02	ND	ND	
Pyrene	0.02	ND	ND	
Benzo(a)anthracene	0.02	ND	ND	
Chrysene	0.02	ND	ND	
Benzo(b+k)fluoranthene	0.04	ND	ND	
Benzo(a)pyrene	0.02	ND	ND	
Indeno(1,2,3-cd)pyrene	0.02	ND	ND	
Dibenzo(a,h)anthracene	0.02	ИD	ND	
Benzo(g,h,i)perylene	0.02	ND	ND	
Phenol	0.02	ND	ND	
2-Methylphenol	0.02	ND	ND	
4-Methylphenol	0.02	ND	ND	
2,4-Dimethylphenol	0.02	ND	ND	
Pentachlorophenol	0.05	ND	ND	

MRL Method Reporting Limit

ND None Detected at or above the method reporting limit

Approved by Dave Elenan. Date 2/19/91

Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton

Sample Matrix: Sediment

Mouth of Cowlitz

Date Received: 01/15/91

Date Extracted: 01/24/91 Date Analyzed:

01/31/91

Work Order #:

K910238

Polynuclear Aromatic Hydrocarbons and Phenols EPA Methods 3540/Modified 8270 mg/Kg (ppm) Dry Weight Basis

Sample Name: Lab Code:	COW-4 K0238-6	Method Blank K0238-MB	
Analytes	MRL		
Naphthalene	0.02	ND	ND
2-Methylnaphthalene	0.02	ND	- ND
Acenaphthylene	0.02	ND	ND
Dibenzofuran	0.02	ND	NĎ
Nacenaphthene	0.02	ND	ND
Fluorene	0.02	ND	ND
Phenanthrene	0.02	ND	ND
Anthracene	0.02	ND	ND
Fluoranthene	0.02	ND	ND
Pyrene	0.02	ND	ND
Benzo(a)anthracene	0.02	ND	ND
Chrysene	0.02	ND	ND
Benzo(b+k)fluoranthene	0.04	ND	ND
Benzo(a)pyrene	0.02	ND	ND
Indeno(1,2,3-cd)pyrene	0.02	ND	ND
Dibenzo(a,h)anthracene	0.02	ND	ND
Benzo(g,h,i)perylene	0.02	ND	ND
Phenol	0.02	ND	ND
2-Methylphenol	0.02	ND	ND
4-Methylphenol	0.02	ND	ND
2,4-Dimethylphenol	0.02	ND	ND
Pentachlorophenol	0.05	ND	ND

MRL Method Reporting Limit

ND None Detected at or above the method reporting limit

Approved by Dave Elecum.

Date 2/19/91

Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton

Sample Matrix: Sediment

Mouth of Cowlitz

Date Received: 01/15/91

Date Extracted: 01/22/91 Date Analyzed:

01/25/91

Work Order #:

K910238

Organochlorine Pesticides and PCBs EPA Methods 3540/8080 mg/Kg (ppm) Dry Weight Basis

		Sample Name: Lab Code:		COW-2A K0238-3	COW-3 TOP K0238-4	COW-3 BOTTOM K0238-5
Analytes	3		MRL			
Alpha-Bl	HC		0.001	ND	ND	ND
	BHC (Lindane)		0.001	ND	ND	ND
Beta-BH			0.003	ND	ND	ND
Heptach			0.001	ND	ND	_≠ ND
Delta-BH	łC		0.001	ND 1	ND	ND
Aldrin			0.001	ND	ND	ND
	lor Epoxide		0.001	ND	ND	ND
Endosuli	fan I		0.001	ND	ND	ND
4,4'-DDE			0.001	ND	ND	ND
Dieldrin			0.001	ND	ND	ND
Endrin			0.001	ND	ND	ND
4,4'-DDD			0.001	ND	ND	ND
Endosul			0.001	ND	ND	ND
4,4'-DDT	•		0.001	ND	ND	ND
Endrin A			0.001	ND	ND	ND
Endosul	fan Sulfate		0.001	ND	ND	ND
Methoxy	chior		0.002	ND	ND	ND
Toxaphe			0.03	ND	ND	ND
Chlorda	ne		0.01	ND	ND	ND
PCBs:	Arocior 1016		0.01	ND	ND	ND
	Aroclor 1221		0.01	ND	ND	ND
	Aroclor 1232		0.01	ND	ND.	ND
	Aroclor 1242		0.01	ND	ND	ND
	Aroclor 1248		0.01	ND	ND	ND
	Aroclor 1254		0.01	ND	ND	ND
	Aroclor 1260		0.01	ND	ND	ND

MRL

Method Reporting Limit

ND

None Detected at or above the method reporting limit

Approved by___ Date 2/19/11

Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton

Sample Matrix: Sediment

Mouth of Cowlitz

Date Received: 01/15/91 Date Extracted: 01/22/91

Work Order #:

Date Analyzed: 01/25/91

K910238

Organochlorine Pesticides and PCBs EPA Methods 3540/8080 mg/Kg (ppm) Dry Weight Basis

		Sample Name: Lab Code:		COW-2A K0238-3	COW-3 TOP K0238-4	COW-3 BOTTOM K0238-5
Analytes	3		MRL			
Alpha-Bl	HC		0.001	ND	ND	ND
Gamma-	BHC (Lindane)		0.001	ND	ND	ND
Beta-BH	C		0.003	ND	ND	ND
Heptach	lor		0.001	ND	ND	- ND
Delta-BH	HC		0.001	ND	ND .	ND
Aldrin			0.001	ND	ND	ND
Heptach	lor Epoxide		0.001	ND	ND	ND
Endosul	fan I		0.001	ND	ND	ND
4,4'-DDE	:		0.001	ND	ND	ND
Dieldrin			0.001	ND	ND	ND
Endrin			0.001	ND	ND	ND
4,4'-DDD)		0.001	ND	ND	ND
Endosul	fan II		0.001	ND	ND	ND
4,4'-DDT			0.001	ND	ND	ND
Endrin A	Ndehyde		0.001	ND	ND	ND
Endosul	fan Sulfate		0.001	ND	ND	ND
Methoxy	rchlor		0.002	ND	ND	ND
Toxaphe	ene		0.03	ND	ND	ND
Chlordai	ne		0.01	ND	ND	ND
PCBs:	Aroclor 1016		0.01	ND	ND	ND
	Aroclor 1221		0.01	ND	ND	ND
	Aroclor 1232		0.01	ND	ND	ND
	Aroclor 1242		0.01	ND	ND	ND
	Aroclor 1248		0.01	ND	ND	ND
	Arocior 1254		0.01	ND	ND	ND
	Arocior 1260		0.01	ND	ND	ND

MRL

Method Reporting Limit

ND

None Detected at or above the method reporting limit

Approved by Dave Edilmon, 1 Date 2/19/91

Analytical Report

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton

Mouth of Cowlitz

Sample Matrix: Sediment

Date Received: 01/15/91 Date Extracted: 01/22/91

Date Analyzed:

01/25/91

Work Order #:

K910238

Organochlorine Pesticides and PCBs EPA Methods 3540/8080 mg/Kg (ppm) Dry Weight Basis

Sample Na Lab Co	COW-4 K0238-6	Method Blank K0238-MB	
Analytes	MRL		
Alpha-BHC	0.001	ND	ND
Gamma-BHC (Lindane)	0.001	ND	ND
Beta-BHC	0.003	ND	ND
Heptachlor	0.001	ND	" ND
Delta-BHC	0.001	ND	ND
Aldrin	0.001	ND	ND
Heptachlor Epoxide	0.001	ND	ND
Endosulfan I	0.001	ND	ND
4,4'-DDE	0.001	ND	ND
Dieldrin	0.001	ND	ND
Endrin	0.001	ND	ND
4,4'-DDD	0.001	ND	ND
Endosulfan II	0.001	ND	ND
4,4'-DDT	0.001	ND	ND
Endrin Aldehyde	0.001	ND	ND
Endosulfan Sulfate	0.001	ND	ND
Methoxychlor	0.002	ND	ND
Toxaphene	0.03	ND	ND
Chlordane	0.01	ND	ND
PCBs:Aroclor 1016	0.01	ND	ND
Aroclor 1221	0.01	ND	ND
Aroclor 1232	0.01	ND	ND
Aroclor 1242	0.01	ND	ND
Aroclor 1248	0.01	ND	ND
Aroclor 1254	0.01	ND	ND
Aroclor 1260	0.01	ND	ND

MRL

Method Reporting Limit

ND

None Detected at or above the method reporting limit

Approved by Dave Salaman.

Date 2/19/91

Analytical Report

Client:

U.S. Army Corps of Engineers

Submitted By: Mr. Jim Paxton Project:

Mouth of Cowlitz

Sample Matrix: Sediment

Date Received: Date Extracted:

01/15/91 01/22/91

Date Analyzed: Work Order #:

01/25/91 K910238

Organochlorine Pesticides and PCBs EPA Methods 3540/8080 mg/Kg (ppm) **Dry Weight Basis**

San	nple Name: Lab Code:	COW-4 K0238-6	Method Blank K0238-MB
Analytes	MRL		
Alpha-BHC	0.001	ND	ND
Gamma-BHC (Lindane)	0.001	ND	ND
Beta-BHC	0.003	ND	ND
Heptachlor	0.001	ND	→ ND
Delta-BHC	0.001	ND	ND
Aldrin	0.001	ND	ND
Heptachlor Epoxide	0.001	ND	ND
Endosulfan I	0.001	ND	ND
4,4'-DDE	0.001	ND	ND
Dieldrin	0.001	ND	ND
Endrin	0.001	ND	ND
4,4'-DDD	0.001	ND	ND
Endosulfan II	0.001	ND	ND
4,4'-DDT	0.001	ND	ND
Endrin Aldehyde	0.001	ND	ND
Endosulfan Sulfate	0.001	ND	ND
Methoxychlor	0.002	ND	ND
Toxaphene	0.03	ND	ND
Chlordane	0.01	ND	ND
PCBs:Aroclor 1016	0.01	ND	ND
Aroclor 1221	0.01	ND	ND
Aroclor 1232	0.01	ND	ND
Aroclor 1242	0.01	ND	ND
Aroclor 1248	0.01	ND	ND
Aroclor 1254	0.01	ND	ND
Aroclor 1260	0.01	ND	ND

MRL

Method Reporting Limit

ND

None Detected at or above the method reporting limit

Approved by Dove Ediline

Date 2/19/91

APPENDIX A LABORATORY QC RESULTS

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton Mouth of Cowlitz

Sample Matrix: Sediment

Date Received: 01/15/91 Work Order #: K910238

QA/QC Report **Duplicate Summary Total Metals** mg/Kg (ppm) **Dry Weight Basis**

Sample Name:

COW-3 TOP

K0238-4

Lab Code:

Duplicate Relative Sample Sample Percent Result **Analytes** Method MRL Result Difference Average Arsenic 7060 2 1 1 2 50 Cadmium 7131 0.1 ND ND ND --Chromium 6010 1 6 6 6 <1 Copper 6010 1 14 16 15 13 Lead 7421 ND ND ND 1 Mercury ND 7471 0.02 ND ND Nickel 249.2 5 5 5 1 <1 Silver 7761 0.1 ND ND ND Zinc 6010 1 20 20 5 21

MRL Method Reporting Limit

ND None Detected at or above the method reporting limit

Approved by Dave Eleling Date 2/19/91

Date Received: 01/15/91

Work Order #: K910238

Client:

U.S. Army Corps of Engineers

Submitted By: Mr. Jim Paxton Project:

Mouth of Cowlitz

Sample Matrix: Sediment

QA/QC Report **Duplicate Summary Total Metals** mg/Kg (ppm) **Dry Weight Basis**

Sample Name:

COW-3 TOP

Lab Code:

K0238-4

Analytes	Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference
Arsenic	7060	1	1	2	2	50
Cadmium	7131	0.1	ND	ND	ND	
Chromium	6010	1	6	6	6	<1
Copper	6010	1	14	16	15	13
Lead	7421	1	ND	ND	ND	
Mercury	7471	0.02	ND	ND	ND	
Nickel	249.2	1	5	5	5	<1
Silver	7761	0.1	ND	ND	ND	
Zinc	6010	1	20	21	20	5

MRL Method Reporting Limit

ND None Detected at or above the method reporting limit

Approved by Dave Eleling Date 2/19/91

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton **Mouth of Cowlitz**

Sample Matrix: Sediment

Date Received: 01/15/91

Work Order #: K910238

QA/QC Report Matrix Spike Summary **Total Metals** mg/Kg (ppm) Dry Weight Basis

Sample Name:

Lab Code:

COW-3 TOP K0238-4MS

		Spiked Spiked				
		Spike	Sample	Sample	Percent	
Analytes	MRL	Level	Result	Result	Recovery	
Arsenic	1	10	1	11	100	
Cadmium	0.1	10.4	ND	9.7	93	
Chromium	1	52	6	54	92	
Copper	1	65	14	77	97	
Lead	1	5	ND	6	120	
Mercury	0.02	0.09	ND	0.08	89	
Nickel	1	6	5	10	83	
Silver	0.1	1.3	ND	1.1	85	
Zinc	1	130	20	137	90	

MRL

Method Reporting Limit

ND

None Detected at or above the method reporting limit

Approved by Dave Elelman Date 2/19/91

Client:

U.S. Army Corps of Engineers

Submitted By: Project:

Mr. Jim Paxton Mouth of Cowlitz

Sample Matrix: Sediment

Date Received:

01/15/91

Work Order #:

K910238

QA/QC Report Matrix Spike Summary **Total Metals** mg/Kg (ppm) **Dry Weight Basis**

Sample Name:

Analytes

Arsenic

Copper

Mercury

Nickel

Silver

Zinc

Lead

Cadmium

Chromium

COW-3 TOP K0238-4MS

0.1

Lab Code:

Spiked Spike Sample Sample **Percent** Level Result MRL Result Recovery 1 10 1 11 100 0.1 10.4 ND 9.7 93 1 52 6 54 92 65 1 14 77 97 1 5 ND 120 6 0.09 0.02 ND 0.08 89 5 10 83 1 6

ND

20

MRL

Method Reporting Limit

ND

None Detected at or above the method reporting limit

1.3

130

Approved by Dave Elelman

Date ziiqlqi

1.1

137

85

90

Client:

U.S. Army Corps of Engineers

Submitted By: Mr. Jim Paxton

Project:

Mouth of Cowlitz

Sample Matrix: Sediment

Date Received: 01/15/91

Date Extracted: 01/24/91

Date Analyzed: 01/31/91 Work Order #:

K910238

QA/QC Report Surrogate Recovery Summary Polynuclear Aromatic Hydrocarbons and Phenois EPA Methods 3540/Modified 8270

Sample Name	Lab Code	Percent Recovery		
		Naphthalene - D _s	Fluorene - D ₁₀	Chrysene - D ₁₂
COW-2A	K0238-3	47.4	65.9	46.7
COW-3 TOP	K0238-4	64.9	83.8	50.2
COW-3 BOTTOM	K0238-5	63.9	79.0	52.7
COW-4	K0238-6	61.8	76.0	51.0
Method Blank	K0238-MB	44.0	49.6	43.2

Approved by Dave Eddam. Date 2/19/91

Client:

U.S. Army Corps of Engineers

Submitted By: Mr. Jim Paxton Project:

Mouth of Cowlitz

Sample Matrix: Sediment

Date Received: 01/15/91

Date Extracted: 01/24/91

Date Analyzed: 01/31/91 Work Order #:

K910238

QA/QC Report Surrogate Recovery Summary Polynuclear Aromatic Hydrocarbons and Phenols EPA Methods 3540/Modified 8270

Sample Name	Lab Code	Perc Naphthalene - D _s	ent Reco Fluorene - D ₁₀	v e r y Chrysene - D ₁₂
COW-2A	K0238-3	47.4	65.9	46.7
COW-3 TOP	K0238-4	64.9	83.8	50.2
COW-3 BOTTOM	K0238-5	63.9	79.0	52.7
COW-4	K0238-6	61.8	76.0	51.0
Method Blank	K0238-MB	44.0	49.6	43.2

Approved by Dave Edding Date 2/19/91

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton Mouth of Cowlitz

Sample Matrix: Sediment

Date Received: 01/15/91 Date Extracted: 01/22/91

Date Analyzed: 01/25/91

Work Order #:

K910238

QA/QC Report Surrogate Recovery Summary Organochlorine Pesticides and PCBs EPA Methods 3540/8080

Sample Name	Lab Code	Percent Recovery Tetrachloro-m-xylene Decachlorobiphenyl			
COW-2A	K0238-3	81.3	84.1		
COW-3 TOP	K0238-4	86.5	90.1		
COW-3 TOP	K0238-4MS	84.9	91.3		
COW-3 TOP	K0238-4DMS	90.9	96.8		
COW-3 BOTTOM	K0238-5	86.1	87.7		
COW-4	K0238-6	92.4	103		
Method Blank	K0238-MB	106	113		
	CAS Acceptance Criteria	20-150	65-130		

Approved by Davy Elelinan A Date 2/14/41

Client:

U.S. Army Corps of Engineers

Project:

Submitted By: Mr. Jim Paxton Mouth of Cowlitz

Sample Matrix: Sediment

Date Received: 01/15/91

Date Extracted: 01/22/91 Date Analyzed:

01/25/91

Work Order #:

K910238

QA/QC Report Surrogate Recovery Summary Organochlorine Pesticides and PCBs EPA Methods 3540/8080

Sample Name	Lab Code		RecoveryDecachlorobiphenyl
COW-2A	K0238-3	81.3	84.1
COW-3 TOP	K0238-4	86.5	90.1
COW-3 TOP	K0238-4MS	84.9	91.3
COW-3 TOP	K0238-4DMS	90.9	96.8
COW-3 BOTTOM	K0238-5	86.1	87.7
COW-4	K0238-6	92.4	103
Method Blank	K0238-MB	106	113
	CAS Acceptance Criteria	20-150	65-130

Approved by Dave Elling Date 2/14/91

Client:

U.S. Army Corps of Engineers

Submitted By: Mr. Jim Paxton

Project:

Mouth of Cowlitz

Sample Matrix: Sediment

Date Received: 01/15/91 Date Extracted: 01/22/91 Date Analyzed: 01/25/91 Work Order #: K910238

QA/QC Report Matrix Spike/Duplicate Matrix Spike Summary Organochlorine Pesticides and PCBs EPA Methods 3540/8080

mg/Kg (ppm) Dry Weight Basis

Sample Name:

COW-3 TOP

Lab Code:

K0238-4MS/DMS

Percent Recovery

	Spike	Level	Sample	Spike	Result			EPA Acceptance
Analytes	MS	DMS	Result	MS	DMS	MS	DMS	Criteria
Gamma-BHC (Lindane)	0.044	0.045	ND	0.049	0.057	111	127	46-127
Heptachlor	0.044	0.045	ND	0.052	0.061	118	*136	35-120
Aldrin	0.044	0.045	ND	0.046	0.057	105	127	34-132
Dieldrin	0.044	0.045	ND	0.056	0.062	127	*138	31-134
Endrin	0.044	0.045	ND	0.056	0.062	127	138	42-139
4,4'-DDT	0.044	0.045	ND	0.059	0.063	134	*140	23-134

ND None Detected at or above the method reporting limit

Outside acceptance limits. Since no target analytes were detected in the sample, the elevated percent recovery does not adversely impact the data.

Approved by_	Dave	Edelm. 1	D	Date_	2/19/91
--------------	------	----------	---	-------	---------